

Functional design and perfect sound in Continental quality.

Reliable radios for any application.













Over 80 years of experience 2

Over 80 years of experience!

Vehicle sound systems from Continental have earned a strong reputation within the world of infotainment – profit from our comprehensive know how.

Continental vehicle audio systems are a crowning achievement of our successful continuous product optimization process. Their rugged, reliable construction makes them ideal for every application, from cruising the highway to the tough offroad environment.

The handling of the Continental radios goes without further explanations by clear design, big buttons and turn keys

with grip. Ease of use was a key priority, alongside high quality. The intuitive interface provides straightforward access to a sophisticated range of functionality and delight by handling a complex world in such an easy way.

Enjoy the best possible sound quality, whether it's with our 12 V designs or our 24 V versions for use in commercial vehicles.

Advantages at a glance

- Vehicle sound systems in automotive quality
- High-end tuners with maximum sensitivity
- Complete connectivity with USB, Bluetooth® and smartphone support
- Rich interfacing functions like dimming, integrated microphone and smartphone control
- Enhanced dust protection





Main functionalities 3

Main functionalities.

RDS Tuner - Worldwide platform



AM and FM frequency and spacing for Europe/USA/LATAM/ASIA/ North Africa configuration is accessible through radio menu by final user.

DAB / DAB + / DMB Tuner - Digital Audio Broadcasting



DAB+ is the new digital radio technology for broadcasting radio stations, used across the world.

Connectivity - USB and Bluetooth®







Allows the playback of a large collection of compressed audio songs on USB key. Truly integrated voice mixing from mobile phones onto the in-car speakers and streaming MP3 files from smartphone.

Backup Memory / Permanent storage of settings



Keeps the memory of all the user settings and preset stations when main power is down.

Logic ON/OFF



Logic ON/Logic OFF (Logic ON to limit the use of the product to one hour when the car ignition is switched off. Logic OFF to prevent the set from turning on when the car ignition is switched off).

Certifications









CE-mark is the European conformity mark, indicating that the products comply with relevant laws and regulations, or directives 2014/53/EU and 2014/35/EU.

E-Mark indicates that the product is compliant with electromagnetic regulation. Vehicles and related products need both E-mark and CE certifications to be legally sold in Europe.

FCC is the US conformity mark, indicating that the products comply with relevant laws and regulations or directives. Vehicles and related products need FCC certification to be legally sold in USA.

12 V - Radio range 4

12 V - Radio range.

TR7411U-OR

12 V Tuner (RDS) USB



- Radio/USB/MP3/WMA
- 12 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- Logic ON/OFF
- Clock
- Backup Memory
- Front AUX input

TR7412UB-OR

12 V Tuner (RDS) USB, Bluetooth®



- Radio / USB / MP3 / WMA / Bluetooth®
- 12 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Front AUX input

TRD7412UB-OR

12 V Tuner (RDS) USB, DAB+, Bluetooth



- Radio / USB / MP3 / WMA / Bluetooth®
- 12 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- DAB/DAB+/DMB Tuner
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Front AUX input

CD7416U-OR

12 V Tuner (RDS) USB, CD/MP3



- Radio/CD/USB/MP3/WMA
- 12 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- Logic ON/OFF
- Clock
- Backup Memory
- Rear AUX input

CD7416UB-OR

12 V Tuner (RDS) USB, CD/MP3, Bluetooth®



- Radio/CD/USB/MP3/WMA/Bluetooth®
- 12 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Rear AUX input

CDD7418UB-OR

12 V Tuner (RDS) USB, CD/MP3, DAB+, Bluetooth®



- Radio/CD/USB/MP3/WMA/Bluetooth®
- 12 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- DAB/DAB+/DMB Tuner
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Rear AUX input

Main specifications 5

Main specifications.

	TR7411U-OR	TR7412UB-OR	TRD7412UB-OR	CD7416U-OR	CD7416UB-OR	CDD7418UB-OR
12 V / 24 V	12 V	12 V	12 V	12 V	12 V	12 V
State of the art tuner performance: RDS tuner FM/MW/LW	•	•	•	•	•	•
Worldwide tuner (Europe/Asia/ Japan/North Africa/USA)			•	•		
Digital radio (DAB/DAB+/DMB-A) (DAB antenna included)	-	-	•	-	-	•
CD player	-		_	•	•	•
Electronic shock protection (ESP)	-	-	-	•	•	•
USB host	•	•	•	•	•	•
AUX input	Front	Front	Front	Rear	Rear	Rear
Bluetooth®	-	•	•	-	•	•
Internal and external microphone for Hands-Free kit (included)	-	•	•	-	•	
Telephone mute	•	•	•	•	•	•
Permanent storage of settings (Backup Memory)	•	•	•	•	•	•
MP3/WMA	•	•	•	•	•	•
Logic ON/OFF	•	•	•	•	•	•
Loudness/Sound presets (Jazz, Classic, Rock, Pop)	•/•	•/•	•/•	•/•	•/•	•/•
RDS clock	•	•	•	•	•	•
Dimmable LCD display and buttons	-	-	•	-	-	-
Color backlighting	Orange	Orange	Orange	Orange	Orange	Orange
Antenna connector	DIN/ISO	DIN/ISO	DIN / ISO	DIN/ISO	DIN/ISO	DIN/ISO
Max. audio power	4 x 41 W	4 x 41 W	4 x 41 W	4 x 41 W	4 x 41 W	4 x 41 W
Dimensions (WxHxD) in mm	188 x 58.5 x 114.7	188 x 58.5 x 114.7	188 x 58.5 x 114,7	188 x 58.5 x 183	188 x 58.5 x 183	188 x 58.5 x 183
Steering wheel remote control 1)	•	•	•	•	•	•

¹⁾ Adapter cable may be required.

	Radio/ USB/MP3/WMA	Radio/ USB/MP3/WMA/ Bluetooth®	Radio/ USB/MP3/WMA/ DAB/DAB+/ DMB/Bluetooth®	Radio/CD/ USB/MP3/WMA	Radio/CD/ USB/MP3/WMA/ Bluetooth®	Radio/CD/ USB/MP3/WMA/ DAB/DAB+/ DMB/Bluetooth®
Item number	TR7411U-OR	TR7412UB-OR	2910000430600	CD7416U-OR	2910000080600	CDD7418UB-OR
EAN code	4103590671240	4103590671264	4103590677884	4103590671288	4103590675002	4103590671301

24 V - Radio range 6

24 V - Radio range.

TR7422U-OR

24 V Tuner (RDS) USB



- Radio / USB MP3 / WMA
- 24 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY

- Logic ON/OFF
- Clock
- Backup Memory
- Front AUX input

TR7423UB-OR

24 V Tuner (RDS) USB, Bluetooth®



- Radio / USB / MP3 / WMA / Bluetooth®
- 24 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Front AUX input

TRD7423UB-OR

24 V Tuner (RDS) USB, DAB+, Bluetooth®



- Radio / USB / MP3 / WMA / Bluetooth®
- 24 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- DAB/DAB+/DMB Tuner
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Front AUX input

CD7426U-OR

24 V Tuner (RDS) USB, CD/MP3



- Radio/CD/USB/MP3/WMA
- 24 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY

- Logic ON/OFF
- Clock
- Backup Memory
- Rear AUX input

CD7426UB-OR

24 V Tuner (RDS) USB, CD/MP3, Bluetooth®



- Radio/CD/USB/MP3/WMA/Bluetooth®
- 24 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Rear AUX input

CDD7428UB-OR

24 V Tuner (RDS) USB, CD/MP3, DAB+, Bluetooth®



- Radio/CD/USB/MP3/WMA/Bluetooth®
- 24 V / Orange backlighting
- Worldwide tuner FM/MW/LW
- FM RDS tuner/AF/TA/EON/PTY
- DAB/DAB+/DMB Tuner
- Cell Phone Hands-Free Profiles (HSP, HFP)
- Audio Streaming Profiles (A2DP, AVRCP)
- Logic ON/OFF
- Clock
- Backup Memory
- Rear AUX input

Main specifications 7

Main specifications.

	TR7422U-OR	TR7423UB-OR	TRD7423UB-OR	CD7426U-OR	CD7426UB-OR	CDD7428UB-OR
12 V / 24 V	24 V	24 V	24 V	24 V	24 V	24 V
State of the art tuner performance: RDS tuner FM/MW/LW						
Worldwide tuner (Europe/Asia/ Japan/North Africa/USA)	•	•	•	•	•	
Digital radio (DAB/DAB+/DMB-A) (DAB antenna included)	-	-	•	-	-	•
CD player		_		•	•	•
Electronic shock protection (ESP)		_		•	•	•
USB host	•	•	•	•	•	•
AUX input	Front	Front	Front	Rear	Rear	Rear
Bluetooth®	-	•	•	-	•	•
Internal and external microphone for Hands-Free kit (included)	-	•	•	-		
Telephone mute	•	•	•	•	•	•
Permanent storage of settings (Backup Memory)	•	•	•	•	•	•
MP3/WMA	•	•	•	•	•	•
Logic ON/OFF	•	•	•	•	•	•
Loudness/Sound presets (Jazz, Classic, Rock, Pop)	•/•	•/•	•/•	•/•	•/•	•/•
RDS clock	•	•	•	•	•	•
Dimmable LCD display and buttons	-	-	•	-	-	-
Color backlighting	Orange	Orange	Orange	Orange	Orange	Orange
Antenna connector	DIN/ISO	DIN/ISO	DIN / ISO	DIN/ISO	DIN/ISO	DIN/ISO
Max. audio power	4 x 15 W	4 x 15 W	4 x 15 W	4 x 15 W	4 x 15 W	4 x 15 W
Dimensions (WxHxD) in mm	188 x 58.5 x 130	188 x 58.5 x 130	188 x 58.5 x 114,7	188 x 58.5 x 183	188 x 58.5 x 183	188 x 58.5 x 183
Steering wheel remote control ¹⁾	•	•	•	•	•	•

¹⁾ Adapter cable may be required.

	Radio/ USB/MP3/WMA	Radio/ USB/MP3/WMA/ Bluetooth®	Radio/ USB/MP3/WMA/ DAB/DAB+/ DMB/Bluetooth®	Radio/CD/ USB/MP3/WMA	Radio/CD/ USB/MP3/WMA/ Bluetooth®	Radio/CD/ USB/MP3/WMA/ DAB/DAB+/ DMB/Bluetooth®
Item number	TR7422U-OR	TR7423UB-OR	2910000431200	CD7426U-OR	2910000080900	CDD7428UB-OR
EAN code	4103590671257	4103590671271	4103590678201	4103590671295	4103590674975	4103590671318